

Primary Care Health Maintenance Indicators 2007-2008 Ryan White HIV/AIDS Treatment Modernization Act

The following indicators will be used to develop your scope of service for the current program year. A minimum of three indicators are used in the scope, two are required this year. The focus on dental referrals and visits is included due to findings from the chart reviews.

Required Indicators: (use for your contract scope of work)

% of clients with HIV infection who have a medical visit with an HIV specialist at least every 6 months

% of clients with HIV infection who have a dental referral and/or documentation of a dental visit

Choose 1 from the following: (use for your contract scope of work)

% of clients with HIV infection who have been screened for substance abuse (alcohol, tobacco and drugs) at least every 12 months.

% of clients with HIV infection who have a mental health screening at least every 12 months (cognitive; depression; anxiety; sleeping; appetite; domestic violence; post traumatic stress disorder)

% of clients with HIV infection who received adherence counseling at least every 6 months

Some Indicators reported in HACS for the annual CADR report. (can be used for you scope)

of clients with HIV infection who have a CD4 test done at least every 12 months

of sexually active clients with HIV infection who had a test for syphilis at least every 12 months

of clients with HIV infection for whom a PPD skin test was indicated and received

of clients with HIV infection who have been screened for Hepatitis C virus

of pregnant women with HIV infection who are on antiretroviral therapy

Data Sources:

- Progress reports
- CADR
- Medical record data abstraction by grantee QM staff of a sample of records
- Electronic Medical Record/Electronic Health Record
- Lab Tracker, HACS, AIRIES or other electronic data base

National Goals, Targets, or Benchmarks for Comparison

- On file

March2007